U.S. DEPARTMENT OF HOMELAND SECURITY Faderal Emergency Management Agency National Flood Insurance Program

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires March 31, 2012

Important: Read the instructions on pages 1-9.

		SECTION A - PRO	OPERTY INFOR	MATION	For Insurance Company Use:
A1. Building Owner's Name	Barbara A. Gregory and Alb	ert D. Gregory			Policy Number
A2. Building Street Address 830, 826, 822 & 818 Gopp C		ind/or Bldg. No.) or P.	.O. Route and Box	No.	Company NAIC Number
City Cheyenne Sta	ite WY ZIP Code 82007				
A3. Property Description (Lo Tract 18, Richardson Tracts	ot and Block Numbers, Tax P except South 114 feet	arcel Number, Legal	Description, etc.)		
A4. Building Use (e.g., Residual A5. Latitude/Longitude: Lat.	Long			Horizontal Datum:	□ NAD 1927 ⊠ NAD 1983
A6. Attach at least 2 photogram. A7. Building Diagram Numb		ertificate is being used	d to obtain flood ins	urance.	
A8. For a building with a cra	wispace or enclosure(s): rawispace or enclosure(s)	0 00 00		building with an attac	
b) No. of permanent flo	ood openings in the crawlspa			Square footage of attact to. of permanent flood	hed garage <u>N/A</u> sq ft openings in the attached garage
	1.0 foot above adjacent grade	-	v	vithin 1.0 foot above ac	ljacent grade <u>0</u>
c) Total net area of floodd) Engineered flood op		<u>0</u> sq in No		otal net area of flood o Engineered flood openi	ppenings in A9.b None sq in ngs?
	SECTION B - FL	OOD INSURANCE	RATE MAP (FI	RM) INFORMATION	
B1. NFIP Community Name Laramie County 560029	& Community Number	B2. County Na Laramie Cour			B3. State Wyoming
B4. Map/Panel Number 1356	B5. Suffix B6. FIRM F Date 5-1-8	e Effecti	FIRM Panel ve/Revised Date 1-17-07	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 5998.0
B10. Indicate the source of th	e Base Flood Elevation (BFE	E) data or base flood (depth entered in Ite	 m B9.	
		ity Determined	Other (Descri	•	
B11. Indicate elevation datum			☑ NAVD 1988	☐ Other (Describe)
B12. Is the building located in	a Coastal Barrier Resource			tected Area (OPA)?	☐ Yes
Designation Date	•	☐ CBRS	☐ OPA		
	SECTION C - BUILI	DING ELEVATION	INFORMATION	(SURVEY REQUIR	ED)
C1. Building elevations are ba *A new Elevation Certifica	ased on:	tion Drawings* struction of the building		ler Construction*	
C2. Elevations – Zones A1-A	30, AE, AH, A (with BFE), VE	E, V1-V30, V (with BF	E), AR, AR/A, AR/A	NE, AR/A1-A30, AR/AH	I, AR/AO. Complete Items C2.a-h
Benchmark Utilized City	uilding diagram specified in It	em A/. Use the same	e datum as the BFI	2.	
Conversion/Comments _					
_					
				Check the measuren	nent used.
a) Top of bottom floor (atum <u>NAVD 88</u>		Check the measuren	
b) Top of the next high	including basement, crawlsper floor	atum <u>NAVD 88</u> ace, or enclosure floo	or) <u>N/A</u> [] •	feet ☐ meters (Puert feet ☐ meters (Puert	o Rico only) o Rico only)
b) Top of the next highc) Bottom of the lowest	including basement, crawlsp er floor t horizontal structural membe	atum <u>NAVD 88</u> ace, or enclosure floo	or) <u>N/A</u>	feet	o Rico only) o Rico only) o Rico only)
b) Top of the next highc) Bottom of the lowestd) Attached garage (to)	including basement, crawlsp er floor t horizontal structural membe p of slab)	atum <u>NAVD 88</u> ace, or enclosure floo	or) <u>N/A</u> .	feet meters (Puert feet meters (Puert feet meters (Puert feet meters (Puert	o Rico only)
 b) Top of the next high c) Bottom of the lowest d) Attached garage (to) e) Lowest elevation of the 	including basement, crawlsp er floor t horizontal structural membe	atum NAVD 88 ace, or enclosure floo or (V Zones only) vicing the building	or) <u>N/A</u> .	feet	o Rico only)
 b) Top of the next higher c) Bottom of the lowest d) Attached garage (top) e) Lowest elevation of the company of the com	including basement, crawlsp er floor t horizontal structural membe p of slab) machinery or equipment sen uipment and location in Com ished) grade next to building	atum NAVD 88 ace, or enclosure floor or (V Zones only) vicing the building ments) (LAG)	or) N/A	feet meters (Puert feet meters (Puert feet meters (Puert feet meters (Puert feet meters (Puert feet meters (Puert feet meters (Puert feet meters (Puert feet meters (Puert feet feet feet meters (Puert feet meters (Puert	o Rico only)
b) Top of the next higher c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of a (Describe type of eq f) Lowest adjacent (fin g) Highest adjacent (fin	including basement, crawlsp er floor t horizontal structural membe p of slab) machinery or equipment sen uipment and location in Com ished) grade next to building nished) grade next to building	atum NAVD 88 ace, or enclosure floor or (V Zones only) vicing the building ments) (LAG)	N/A	feet	o Rico only)
b) Top of the next higher c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of a (Describe type of eq f) Lowest adjacent (fin g) Highest adjacent (fin	including basement, crawlsp er floor t horizontal structural membe p of slab) machinery or equipment sen uipment and location in Com ished) grade next to building	atum NAVD 88 ace, or enclosure floor or (V Zones only) vicing the building ments) (LAG)	N/A	feet meters (Puert feet meters (Puert feet meters (Puert feet meters (Puert feet meters (Puert feet meters (Puert feet meters (Puert feet meters (Puert feet meters (Puert feet feet feet meters (Puert feet meters (Puert	o Rico only)
b) Top of the next higher c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of the (Describe type of eq f) Lowest adjacent (fining) Highest adjacent grastructural support	including basement, crawlsp er floor t horizontal structural member p of slab) machinery or equipment servuipment and location in Comished) grade next to building de at lowest elevation of dec	atum NAVD 88 ace, or enclosure floor or (V Zones only) vicing the building ments) (LAG) (HAG) k or stairs, including	N/A	feet	o Rico only)
b) Top of the next higher c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of the lowest elevation of the lowest elevation of the lowest adjacent (finity) Highest adjacent (finity) Lowest adjacent grastructural support This certification is to be signiformation. I certify that the	including basement, crawlsper floor t horizontal structural member p of slab) machinery or equipment servipment and location in Comished) grade next to building de at lowest elevation of dec SECTION D - SUR med and sealed by a land sur- information on this Certification.	atum NAVD 88 ace, or enclosure floor or (V Zones only) vicing the building ments) (LAG) (HAG) k or stairs, including VEYOR, ENGINEE veyor, engineer, or an er represents my best	N/A	feet meters (Puert feet meters	o Rico only)
b) Top of the next higher c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of the lowest elevation of the lowest elevation of the lowest adjacent (finity) Highest adjacent (finity) Lowest adjacent grastructural support	including basement, crawlsp er floor thorizontal structural member of slab) machinery or equipment servipment and location in Comished) grade next to building de at lowest elevation of decided and sealed by a land surinformation on this Certificat tatement may be punishable	atum NAVD 88 ace, or enclosure floor or (V Zones only) vicing the building ments) (LAG) (HAG) k or stairs, including VEYOR, ENGINEE veyor, engineer, or an er represents my best by fine or imprisonmen. Were latitude	N/A	feet meters (Puert feet feet feet feet feet feet	o Rico only)
b) Top of the next higher c) Bottom of the lowest d) Attached garage (to) e) Lowest elevation of a (Describe type of eq f) Lowest adjacent (find g) Highest adjacent grastructural support This certification is to be sign information. I certify that the I understand that any false sign Check here if comments	including basement, crawlsp er floor thorizontal structural member p of slab) machinery or equipment servipment and location in Comished) grade next to building die at lowest elevation of decision of the service of t	atum NAVD 88 ace, or enclosure floor or (V Zones only) vicing the building ments) (LAG) (HAG) k or stairs, including VEYOR, ENGINEE veyor, engineer, or an er represents my best by fine or imprisonme	N/A	feet meters (Puert feet meters	o Rico only)
b) Top of the next higher c) Bottom of the lowest d) Attached garage (top e) Lowest elevation of the lowest elevation of the lowest adjacent (finity) Highest adjacent (finity) Lowest adjacent grastructural support This certification is to be signiformation. I certify that the I understand that any false so Check here if comments Certifier's Name John A. Sterick	including basement, crawlsp er floor thorizontal structural member of slab) machinery or equipment service and location in Comished) grade next to building dished) grade next to building de at lowest elevation of decisions and sealed by a land surinformation on this Certificate tatement may be punishable are provided on back of formation.	atum NAVD 88 ace, or enclosure floor or (V Zones only) vicing the building ments) (LAG) (HAG) k or stairs, including VEYOR, ENGINEE veyor, engineer, or an de represents my best by fine or imprisonme on. Were latitude licensed land	N/A	feet meters (Puert feet meters	o Rico only)
b) Top of the next higher c) Bottom of the lowest d) Attached garage (to) e) Lowest elevation of a (Describe type of eq f) Lowest adjacent (find g) Highest adjacent grastructural support This certification is to be sign information. I certify that the I understand that any false sign Check here if comments	including basement, crawlsp er floor thorizontal structural member of slab) machinery or equipment service and location in Comished) grade next to building dished) grade next to building de at lowest elevation of decisions and sealed by a land surinformation on this Certificate tatement may be punishable are provided on back of formation.	atum NAVD 88 ace, or enclosure floor or (V Zones only) vicing the building ments) (LAG) (HAG) k or stairs, including VEYOR, ENGINEE veyor, engineer, or an erepresents my best by fine or imprisonme n. Were latitude licensed land	N/A	feet meters (Puert feet meters	o Rico only)

IMPORTANT: In these spaces, co	opy the corresponding information	from Section A	For Insurance Company Use:
Building Street Address (including Apt.,	Policy Number		
830, 826, 822 & 818 Gopp Court			
City CheyenneState WY ZIP Code 8		Company NAIC Number	
SECTION	D - SURVEYOR, ENGINEER, OR AF	CHITECT CERTIFICAT	FION (CONTINUED)
• •	cate for (1) community official, (2) insurance	• • • • • • • • • • • • • • • • • • • •	G
Comments This is the FEMA 100 year	flood plain elevation according to Map Pa	nel 56021C1356F dated 1-	-17-07 for 830, 826, 822 & 818 Gopp Court
	-0.0		
Signature	Tel.	Date 1/26/2010	☐ Check here if attachme
SECTION E - BUILDING ELEV	ATION INFORMATION (SURVEY N	OT REQUIRED) FOR Z	ONE AO AND ZONE A (WITHOUT BFE)
For Zones AO and A (without BFE), co and C. For Items E1-E4, use natural g	mplete Items E1-E5. If the Certificate is in rade, if available. Check the measuremen	tended to support a LOMA t used. In Puerto Rico only	or LOMR-F request, complete Sections A, B, y, enter meters.
E1. Provide elevation information for to grade (HAG) and the lowest adjacent		xes to show whether the el	levation is above or below the highest adjacent
a) Top of bottom floor (including b	pasement, crawlspace, or enclosure) is	🛛 feet 🗌	meters ☐ above or ☐ below the HAG.
	pasement, crawlspace, or enclosure) is		meters above or below the LAG.
(elevation C2.b in the diagrams)	of the building is	☐ meters ☐ above or ☐	pages 8-9 of Instructions), the next higher floo below the HAG.
E3. Attached garage (top of slab) is		above or Delow the HA	
	or equipment servicing the building is		
	Unknown. The local official must certify		nce with the community's floodplain manageme G.
	F - PROPERTY OWNER (OR OWNE		
		· · · · · · · · · · · · · · · · · · ·	rithout a FEMA-issued or community-issued BF
	nents in Sections A, B, and E are correct t		
Address	Cit	1	State ZIP Code
Signature	Da	<u> </u>	Telephone
			- Tolophone
Comments			
			☐ Check here if attach
	SECTION G - COMMUNITY IN	FORMATION (OPTION	
			ordinance can complete Sections A, B, C (or I
•	plete the applicable item(s) and sign below was taken from other documentation that he		by a licensed surveyor, engineer, or architect
	elevation information. (Indicate the source		
G2. A community official completed	d Section E for a building located in Zone	(without a FEMA-issued o	or community-issued BFE) or Zone AO.
G3. The following information (Item	s G4-G9) is provided for community flood	lain management purpose	es.
G4. Permit Number	G5. Date Permit Issued	G6. Date Certifica	ate Of Compliance/Occupancy Issued
G7. This permit has been issued for:	☐ New Construction ☐ Substar	tial Improvement	
G8. Elevation of as-built lowest floor (in	cluding basement) of the building:		s (PR) Datum
G9. BFE or (in Zone AO) depth of flood	ing at the building site:	feet meters	s (PR) Datum
G10. Community's design flood elevation	·		s (PR) Datum
Local Official's Name		Title	
Community Name		Telephone	
Signature		Date	·
Comments			
Comments			

